





CX - inclined curved sliding glass lids
CX - inclined curved sliding glass lids




Make your products visible

Make your products visible



Internal light is an option



The CX can also be fitted with a lock



Baskets are available in three different





Visibility sells. And with the eye-catching design of the CX-range, your products are ensured a great attention. The curved glass - the lowered front line - the rounded edges - the bent front, they are all details which attract and please the eye.

Combined with the different features we can deliver, the CX-range becomes more than just freezers. We can provide the CX'es in your logo colours, with different baskets and dividers, digital thermometer, built-in lights etc. All of which enable us to make the right marketing tool for our customers.

And it is not necessarily a question of thousands of freezers. We rate flexibility very high and are therefore able to produce customer-oriented products, even in more modest numbers.


The latest development is the triangle shaped CX-Delta, which renders a unique flexibility and versatility to the CX-range. (Please see the special CX Delta leaflet)

We should be pleased to prove it.

Available in
different sizes



Handles are available in
the same colours as the
frames



An easily readable
digital thermometer
is optional



Technical data

		CX Delta	CX 22	CX 35	CX 45	CX 61
Gross volume	litres	105	216	349	450	611
Net volume	litres	75	163	267	345	471
Gross volume	cu.ft.	3,8	7,7	12,5	16,1	21,8
Net volume	cu.ft.	2,7	5,8	9,5	12,3	16,8
A	mm	-	724	1054	1304	1704
B	mm	680	680	680	680	680
C	mm	918	918	918	918	918
D	mm	753	753	753	753	753
E	mm	-	606	936	1186	1586
F	mm	-	406	736	986	1386
G	mm	536	536	536	536	536
H	mm	-	750	750	750	750
J	mm	500	500	500	500	500
K	mm	840	840	840	840	840
L	mm	848	848	848	848	848
M	mm	690	690	690	690	690
Castors		+	+	+	+	+
Available in a lift-up-glass version		-	+	+	+	+
External thermometer		optional	optional	optional	optional	optional
Lock		optional	optional	optional	optional	optional
Baskets		-	optional	optional	optional	optional
Dividers or divider system		optional	optional	optional	optional	optional
Internal light		optional	optional	optional	optional	optional

Subject to alterations. The technical specifications should be taken as a guidance.

